


product catalogue  
[www.pixeuro.com](http://www.pixeuro.com)

# **PIX** BELTS & HOSES

ISO 9002 & QS-9000



**PIX** **EUROPE**  
LIMITED  
BELTS & HOSES

# POWER-WRAP

- Classical & Wedge V Belts
- Klassische Keilriemen & Schmalkeilriemen
- Courroies Trapézoïdales Classique & Étroites

## Classical Belts


Belt Section	Top Width (x)	Depth (y)	Manufacturing Range
Z	10	6	10" - 195"
A	13	8	13" - 380"
B	17	11	16" - 658"
C	22	14	31" - 658"
D	32	19	45" - 662"
E	38	23	85" - 658"
20	20	12.5	975mm - 9525mm
25	25	16	1448mm - 16637mm

## Wedge Belts

Belt Section	Top Width (x)	Depth (y)	Manufacturing Range
SPZ	10	8	365mm - 4953mm
SPA	13	10	576mm - 9246mm
SPB	17	14	940mm - 16764mm
SPC	22	18	1750mm - 16789mm

## Narrow V-Belts

Belt Section	Top Width (x)	Depth (y)	Manufacturing Range
3V	9.7	8	19" - 190"
5V	15.8	13.5	48" - 654"
8V	25.4	23	90" - 654"




# POWER-EDGE

- Cogged Raw Edge Belts
- Flankenoffene Formgezahnte Keilriemen
- Courroies Dentées à Flanc Nus

## Classical

Belt Section	Top Width (x)	Depth (y)	Manufacturing Range
ZX	10	6	11" - 132"
AX	13	8	11" - 132"
BX	17	11	11" - 132"
CX	22	14	11" - 132"



## Wedge

Belt Section	Top Width (x)	Depth (y)	Manufacturing Range
XPZ	10	8	288mm - 3385mm
XPA	13	10	288mm - 3395mm
XPB	17	14	285mm - 3410mm
XPC	22	18	300mm - 3435mm

## Narrow

Belt Section	Top Width (x)	Depth (y)	Manufacturing Range
3VX	9.7	8	11" - 132"
5VX	15.8	13.5	11" - 132"
8VX	25.4	23	11" - 132"

## Automotive

Belt Section	Top Width (x)	Depth (y)	Manufacturing Range
AVX10/9.5	10	8	562mm - 3175mm
AVX13/12.5	13	9	562mm - 3175mm



